

**Certificate of Analysis**



**Product Name** Flavor Plus  
**Item Number** 1004507  
**Inspection Report #** C224-010345  
**Batch #** 250234  
**Analyzed According to** FAUS  
**Expiration Date** 7/31/2028

**Manufacturers Information:**  
**Mfg. Batch #** 250234  
**Ref No.** 2240101369  
 Birchwood Laboratories, Inc.  
 7900 Fuller Road  
 Eden Prairie, MN 55344  
 USA



Test Description	Test Result Description	Requirement	Result	Unit	Test Location
Description	Viscous white opaque liquid	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
pH		4.0-4.5	4.4	No Unit	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Specific Gravity		1.002-1.022	1.003	g/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Assay	Assay for Methylparaben: 0.027 - 0.033	0.027-0.033	0.030	%	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total aerobic microbial count	<= 100 CFU/mL	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total yeast and mold count	<= 10 CFU/mL	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	E. coli	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	Salmonella	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	B. cepacia	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA

**Release Details**

Quality Technician: Kendra Borawski

Conclusion Date: 08/25/2025

Conclusion: Approved

This document has been produced electronically from our quality system and is valid without signature.