

Chirogate International Inc. 佳和桂科技股份有限公司



Headquarters: No.2, Shih 4th Rd., Yangmei Dist., Taoyuan City 32657, Taiwan Tel: +886-3-496-3808 Fax: +886-3-496-3800 Email: kirogate@ms63.hinct.net

Mfg. Plant: No.41, Lane 298, Gong 2nd Rd., and No.22, Alley 39, Lane 298, Gong 2nd Rd., Longtan Dist., Taoyuan City 32559, Taiwan

Tel: +886-3-499-5062 Fax: +886-3-499-5061

Certificate of Analysis

Product: Misoprostol 1% HPMC Dispersion

Batch No.: K-26-6836

Manufacturing Date: Dec. 17, 2020

Released Date: Dec. 21, 2020 Re-test Date: Dec. 16, 2023

Batch Size: 50 Kg Tests **Specifications** Results Description White to off-white powder. Complies Identification (HPLC) Identical retention time as that of Complies the reference standard. Solubility The solution is clear.(1.0g in Complies 100mL boiling water, when cooling from 100°C to 20°C) Water Content Not more than 1.50% 0.80% Residue on Ignition Not more than 1.50% 0.69% Heavy metals Max. 20 ppm Complies Limit of Related Substances (HPLC) — Epimers Not more than 1.0% 0.32% Misoprostol B Not more than 0.10% Not detected - Misoprostol A Not more than 0.50% 0.12% - Specified unidentified impurity Not more than 0.30% Not detected — Total other impurities Not more than 0.50% Not detected — Sum of all impurities Not more than 2.0% 0.44% Residual Solvent: Ethanol (GC) Not more than 3,500 ppm 40 ppm Assay (w/w of Misoprostol by HPLC) 0.90%~1.10% 1.00%

Remark: Store in airtight and light-resistant packages. Keep refrigerated at temperature of 2~8°C for long-term storage.

Testing Standard: QT-F-M001E.E11

Checked by

OC Supervisor

Approved by

Authorized Signature