


Certificate of Analysis



Product Name HRT Heavy
 Item Number 1004481
 Inspection Report # C224-010550
 Batch # 250374
 Analyzed According to FAUS
 Expiration Date 11/30/2027

Manufacturers Information:
 Mfg. Batch # 250374
 Ref No. 2240101369
 Birchwood Laboratories, Inc.
 7900 Fuller Road
 Eden Prairie, MN 55344
 USA



Test Description	Test Result Description	Requirement	Result	Unit	Test Location
Description	Opaque, white, smooth cream, unscented	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
pH	6.5 - 8.5 (5% aqueous solution)	6.5-8.5	7.8	No Unit	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Specific Gravity	~0.90 - 1.10 @ 25°C	0.90-1.10	0.93	g/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Viscosity	140000 - 340000 @ 25°C	140,000-340,000	215,000	cP	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total aerobic microbial count		0-200	5	CFU/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total yeast and mold count		0-20	5	CFU/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	C. albicans	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	P. aeruginosa	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	S. aureus	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	B. cepacia	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA

Release Details

Quality Technician: Kendra Borawski

Conclusion Date: 12/12/2025

Conclusion: Approved

This document has been produced electronically from our quality system and is valid without signature.