

## Certificate of Analysis



**Product Name** Unispind Anhydrous  
 U  
**Item Number** 1004524  
**Inspection Report #** C224-010183  
**Batch #** 250116  
**Analyzed According to** FAUS  
**Expiration Date** 4/30/2027

**Manufacturers Information:**  
**Mfg. Batch #** 250116  
**Ref No.** 2240101369  
 Birchwood Laboratories, Inc.  
 7900 Fuller Road  
 Eden Prairie, MN 55344  
 USA



Test Description	Test Result Description	Requirement	Result	Unit	Test Location
Description	White, opaque, slightly grainy liquid	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Odor	Neutral, slight off-smell to no smell	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Taste	Slightly oily, smooth mouthfeel	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Infrared spectroscopy		Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Viscosity		20.0-90.0	36.0	cP*s	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Acid Value		0.0-1.0	0.8	No Unit	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total aerobic microbial count		0-100	0	CFU/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Total yeast and mold count		0-10	0	CFU/mL	Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	E.coli	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	Salmonella	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA
Test for specified organism	B.cepacia	Conforms	Conforms		Birchwood Laboratories, Inc. 7900 Fuller Road Eden Prairie, MN 55344 USA

**Release Details**

Quality Technician: Neng Vang

Conclusion Date: 5/8/2025

Conclusion: Approved

This document has been produced electronically from our quality system and is valid without signature.