CERTIFICATE OF ANALYSIS

0212 101	zole Benzoate 211029 0.40kg	Manufacturing Da Test Date:	
101		<u></u>	
	0.40Kg	1 1 COT IDATE:	2022-11-23
Reared in closed contain	1010.40kg Stored in closed container and protected from light		2025.10
	er and protected from fight	Expiry Date:	Name and Associate Associa
Specification		Sallas Francisco	Tested Results
ems			
	white or slightly yellowish, crystalline powder.		Slightly yellowish crystalline pow
IR TLC	The sample spectrum complies with that of the reference standard spectrum. The principal spot of the sample solution corresponds to that of standard solution A, as		Conforms
(ml)	obtained in the test for organic impurities. <0.25		0.06
Ç7	No secondary spot of the sample solution is larger or more intense than the principal spot of the standard solution A(0.5%); and NMT three spots, excluding the principal spot, of the sample solution are larger or more intense than the principal spot of standard solution B(0.2%).		Conforms
	≤0.5		0.2
	≤0.1		0.05
dried substance),%	98.5~101.0		99.9
	IR TLC (ml)	white or slightly yellowish The sample spectrum compreference standard. The principal spot of the corresponds to that of standard in the test for obtained in the test for obtained in the test for ormore intense than the standard solution A(0.5%); excluding the principal spot, are larger or more intense the standard solution ≤0.5 ≤0.1 dried substance),%	white or slightly yellowish, crystalline powder. The sample spectrum complies with that of the reference standard spectrum. The principal spot of the sample solution corresponds to that of standard solution A, as obtained in the test for organic impurities. (ml) Solution Solution No secondary spot of the sample solution is larger or more intense than the principal spot of the standard solution A(0.5%); and NMT three spots, excluding the principal spot, of the sample solution are larger or more intense than the principal spot of standard solution B(0.2%). Solution Solution

Conclusion: This batch of metronidazole benzoate complies with the requirement of the specifications above.

Reporter/Date:

Reviewer/Date: Dity ron. 12.05

QCHead/Date: 吴号译 2022-12-05

